

**BRADY & MORRIS ENGINEERING CO. LTD.  
PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

# **PRICE LIST 36B**

**Morris Material Handling Equipment**

**With Effect from 1<sup>st</sup> April 2025**

**BRADY & MORRIS ENGINEERING CO. LTD.  
PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**THE FOLLOWING BULLETS ARE APPLICABLE TO ALL THE ITEMS  
IN THE PRICE LIST**

- ❖ All Prices are in Indian Rupees (INR)
- ❖ NSP stands for Net Selling Price and RSP stands for Recommended Selling Price
- ❖ Above prices are ex-works Ahmedabad only
- ❖ Freight has to be on to-pay basis and is not included in the prices
- ❖ Goods and services tax (GST) is chargeable as per the applicable rate
- ❖ International Warranty is not applicable

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**INDEX**

<b>Sr. No</b>	<b>Product</b>	<b>Page No</b>
1	Chain Pulley Block	4-5
2	Geared Travelling Trolley	6
3	Optional Features for Chain Pulley Block and Travelling Trolley	7-8
4	Spares for RS Model Chain Pulley Block	9-11
5	Spares for ES Model Chain Pulley Block	12-14
6	Spares for NX Chain Pulley Block	15
7	Spares for Geared Travelling Trolley	16
8	Electric Chain Hoist	17
9	Optional Features for Electric Chain Hoist	18-19
10	Spares for Electric Chain Hoist	20-25
11	Ropemaster Wire Rope Hoist	26-27
12	Class IV Ropemaster Wire Rope Hoist	28
13	Optional Features for Ropemaster Wire Rope Hoist	29-37
14	Spares for Ropemaster Wire Rope Hoist	38-42

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**1.CHAIN PULLEY BLOCK**

Capacity	NX Model				RS Model			
	Chain Pulley Block		Extra Lift/M Lift		Chain Pulley Block		Extra Lift/M Lift	
	NSP	RSP	NSP	RSP	NSP	RSP	NSP	RSP
<b>1T</b>	9188	11944	392	510	11340	14742	391	508
<b>2T</b>	12600	16380	606	788	14123	18359	607	789
<b>3T</b>	14805	19247	764	993	22575	29348	679	883
<b>5T</b>	23100	30030	1058	1375	28350	36855	1120	1456
<b>7.5T</b>	46935	61016	1939	2521	67200	87360	2166	2816
<b>10T</b>	47040	61152	1939	2521	77175	100328	2166	2816
<b>15T</b>	98438	127969	2821	3667	195300	253890	4096	5324
<b>20T</b>	192150	249795	3702	4813	246750	320775	5380	6994
<b>25T</b>					318150	413595	6664	8663
<b>30T</b>					546000	709800	7950	10335

Note: Standard lift is 3M

Capacity	ES Model				ISI Mark			
	Chain Pulley Block		Extra Lift/M		Chain Pulley Block		Extra Lift/M	
	NSP	RSP	NSP	RSP	NSP	RSP	NSP	RSP
<b>1T</b>	18375	23888	561	729	12600	16380	525	683
<b>2T</b>	33600	43680	876	1138	16800	21840	872	1133
<b>3T</b>	36225	47093	1344	1747	24360	31668	1009	1311
<b>5T</b>	58800	76440	2094	2722	33548	43612	1782	2317
<b>7.5T</b>	88200	114660	2231	2900				
<b>10T</b>	98700	128310	2858	3715				

Note: Standard lift is 3M

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

Capacity	NX CPB with 100 Grade Chain			
	NX Model		Extra Lift/M	
	NSP	RSP	NSP	RSP
<b>1 T</b>	9713	12626	721	938
<b>2 T</b>	13808	17950	1283	1667
<b>3 T</b>	17850	23205	1936	2517
<b>5 T</b>	26460	34398	2775	3608
<b>7.5 T</b>	50715	65930	5401	7022
<b>10 T</b>	50925	66203	5401	7022
<b>15 T</b>	102900	133770	8022	10428
<b>20T</b>	200550	260715	10642	13834

**Note: Standard lift is 3M**

Capacity	Bare Block Models			
	NX Model		RS Model	
	NSP	RSP	NSP	RSP
<b>1 T</b>	7639	9930	10080	13104
<b>2 T</b>	9975	12968	13283	17267
<b>3 T</b>	13020	16926	20633	26822
<b>5 T</b>	19425	25253	25673	33374
<b>7.5</b>	41475	53918	62475	81218
<b>10 T</b>	42000	54600	73500	95550
<b>15 T</b>	86100	111930		
<b>20T</b>	181650	236145		

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**2.GEARED TRAVELLING TROLLEY**

Capacity	Geared Travelling Trolley		Extra Lift/M		Flexible Travelling Trolley		Extra Lift/M	
	NSP	RSP	NSP	RSP	NSP	RSP	NSP	RSP
<b>1 T</b>	9135	11876	256	333	17168	22318	256	333
<b>2 T</b>	12338	16039	256	333	24308	31600	256	333
<b>3 T</b>	15120	19656	256	333	25725	33443	256	333
<b>5 T</b>	22523	29279	256	333	38588	50164	256	333
<b>7.5 T</b>	38850	50505	256	333	82163	106811	256	333
<b>10 T</b>	41790	54327	256	333	86783	112817	256	333
<b>15 T</b>	115133	149672	256	333	144585	187961	256	333
<b>20 T</b>	182070	236691	256	333	198135	257576	256	333
<b>25 T</b>	205643	267335	256	333				
<b>30 T</b>	219555	285422	256	333				

**Note: Standard lift is 3M**

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**3.OPTIONAL FEATURES FOR CHAIN PULLEY BLOCK AND TRAVELLING TROLLEY**

**BRONZE COATING OF HOOK**

Capacity	Item	NSP	RSP
1T	Bottom Hook	2474	3216
1T	Top Hook	2474	3216
2T	Bottom Hook	3284	4269
2T	Top Hook	3284	4269
3T	Bottom Hook	4251	5526
3T	Top Hook	4251	5526
5T	Bottom Hook	6680	8684
5T	Top Hook	6680	8684
10T	Bottom Hook	14574	18946
10T	Top Hook	14574	18946
15T	Bottom Hook	15912	20686
15T	Top Hook	15912	20686

**Type of Trolley Wheels**

Capacity	Material	NSP	RSP	Material	NSP	RSP
1T	Cast Steel	1232	1601	EN8	3106	4038
2T & 3T	Cast Steel	1339	1740	EN8	3320	4316
5T	Cast Steel	1424	1852	EN8	6319	8215
7.5T & 10T	Cast Steel	2999	3898	EN8	10710	13923

**Note: BME Std Trolley Wheel Material is Cast Iron (CI)**

**Trolley Flat Runner**

Capacity	NSP	RSP
Up To 2T	788	1024
3T & 5T	908	1181
7.5T & 10T	1365	1775

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

<b>Thrust Bearing</b>		
<b>Capacity</b>	<b>NSP</b>	<b>RSP</b>
<b>1T</b>	750	975
<b>2T</b>	750	975
<b>3T</b>	882	1147
Note: Thrust Bearing comes as default in over 3T		

<b>Trolley suitable for Higher Flange Width</b>		
<b>Size</b>	<b>NSP</b>	<b>RSP</b>
<b>211 - 300 mm</b>	6300	8190
<b>301 - 400 mm</b>	7350	9555
<b>401 - 500 mm</b>	9975	12968

<b>Epoxy Painting</b>						
<b>Capacity</b>	<b>Equipment</b>	<b>NSP</b>	<b>RSP</b>	<b>Equipment</b>	<b>NSP</b>	<b>RSP</b>
<b>Up to 3T</b>	CPB	788	1024	GTT	788	1024
<b>5T to 10T</b>	CPB	1124	1461	GTT	1124	1461
<b>12.5T to 20T</b>	CPB	3035	3945	GTT	3035	3945

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**4.SPARES FOR RS MODEL CHAIN PULLEY BLOCK**

Details	1T RS			2T RS		
	Item Code	NSP	RSP	Item Code	NSP	RSP
Load Chain Wheel	2001-0302-41	2179	2832	2001-0302-41	2179	2832
Hand Chain Wheel	2001-0315-41	2536	3297	2001-0315-41	2536	3297
Load Spur Wheel with Bush	2001-0303-30	3360	4368	2001-0303-30	3360	4368
Driving Pinion	2001-0311-31	2079	2703	2001-0311-31	2079	2703
Stripper	2001-0342-41	432	562	2001-0342-41	432	562
Guide Roller With Pin	2001-0339-41	615	800	2001-0339-41	615	800
Intermediate Pinion	2001-0306-40	2113	2747	2001-0306-40	2601	3381
Inter spur Wheel	2001-0307-40	2921	3798	2001-0307-40	4090	5317
Friction Washer	1901-0337-40	425	553	1901-0337-40	957	1244
Safty Latch	5001-9025-00-00	283	368	5001-9025-00-00	324	422
Ratchet Pawl with Bush	2001-0319-40	815	1059	2001-0319-40	815	1059
Pawl Spring	2001-0321-43	173	225	2001-0321-43	173	225
Ratchet Wheel	1901-0338-40	1480	1924	1901-0338-40	2378	3092
Disc Hub	2001-0312-42	1780	2314	2001-0312-42	1780	2314
Bearing for Load Chain Wheel	----	1014	1318	---	1013	1317
CS Bush	5004-0309-42	832	1081	5004-0309-42	998	1297
Top Hook Pin	2001-0205-41	274	357	2001-0205-41	274	357
Hand Chain Guard	2001-0345-41	1306	1698	2001-0345-41	2351	3057
Bottom Block Assembly	2001-0100-30	5405	7027	2002-0100-30	11025	14333
Top Block Assembly	2001-0200-30	3593	4670	2002-0200-30	8033	10443
Gear Cover with Screws	5004-0337-30	1074	1396	5004-0337-30	1906	2477
Load Chain Dia 6.3 mm	7580-0630-0000	797	1036	7580-0630-0000	797	1036
Hand Chain Dia 5 mm	7530-0050-00GI	366	476	7530-0050-00GI	366	476
Top Hook	2001-0201-40	2146	2789	2002-0201-40	3326	4324
Bottom Hook	2001-0101-40	2495	3243	2002-0101-40	3992	5189

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

Details	3T RS			5T RS		
	Item Code	NSP	RSP	Item Code	NSP	RSP
Load Chain Wheel	2008-0302-40	3459	4497	2008-0302-40	3459	4497
Hand Chain Wheel	2008-0315-41	3227	4195	2008-0315-41	3227	4195
Load Spur Wheel with	2008-0303-30	13256	17233	2008-0303-30	15908	20680
Driving Pinion	2008-0311-31	2096	2724	2008-0311-31	2096	2724
Stripper	2008-0342-42	449	584	2008-0342-42	449	584
Guide Roller With Pin	5006-0340-40	1890	2457	5006-0340-40	1890	2457
Intermediate Pinion	2008-0306-40	4158	5405	2008-0306-40	4158	5405
Inter spur Wheel	2008-0307-40	3812	4955	2008-0307-40	3812	4955
Friction Washer	1902-0337-40	957	1244	1902-0337-40	957	1244
Safty Latch	5001-9025-00-	407	530	5001-9025-00-00	832	1081
Ratchet Pawl with Bush	2008-0319-40	881	1146	2008-0319-40	890	1157
Pawl Spring	2008-0321-42	200	259	2008-0321-42	200	259
Ratchet Wheel	1902-0338-40	1780	2314	1902-0338-40	1821	2368
Disc Hub	2008-0312-40	2129	2768	2008-0312-40	2129	2768
Bearing for Load Chain Wheel	---	1580	2054	---	1580	2054
CS Bush	5006-0309-42	998	1297	5006-0309-42	998	1297
Top Hook Pin	2008-0205-40	549	714	2008-0205-40	549	714
Hand Chain Guard	2008-0345-41	815	1059	2008-0345-41	815	1059
Bottom Block Assembly	2003-0100-30	12890	16757	2005-0100-30	23100	30030
Top Block Assembly	2003-0200-30	13306	17297	2005-0200-30	21913	28486
Gear Cover with Screws	5006-0337-30	2148	2793	5006-0337-30	2633	3423
Load Chain Dia 10 mm (Per Meter)	7580-0100-00	1638	2130	7580-0100-0000	1638	2130
Hand Chain Dia 6 mm (Per Meter)	7530-0060-00	565	735	7530-0060-00GI	565	735
Top Hook	2003-0201-41	10187	13243	2005-0201-41	10811	14054
Bottom Hook	2003-0101-40	10811	14054	2005-0101-42	11227	14595

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

Details	7.5T /10T RS		
	Item Code	NSP	RSP
Load Chain Wheel	5010-0315-31	4088	5315
Bottom Block Assembly	5010-0100-21	52500	68250
Top Block Assembly	2010-0200-30	52500	68250
Load Chain 12.0 mm	7580-0120-0000	2245	2919
Hand Chain Dia 6 mm	7530-0060-00GI	565	735
Load Spur Wheel with Bush	5002-0303-40	12807	16649
Interspur Wheel	5002-0308-40	3992	5189
Intermediate Pinion	5002-0307-40	4054	5270
Ratchet Wheel	5006-0315-40	2195	2854
Hand Chain Wheel	5002-0316-40	4158	5405
Load Chain Wheel	5002-0302-40	5655	7351
Top Hook	5510-0101-00-00	44629	58018
Bottom Hook	5510-0101-00-00	44629	58018
Safety Latch	5001-9025-00-00	1497	1946

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**5.SPARES FOR ES MODEL CHAIN PULLEY BLOCK**

**1T ES CPB Spares**

<b>Details</b>	<b>Item Code</b>	<b>NSP</b>	<b>RSP</b>
Load Spur Wheel	5001-0303-31	7692	9999
Driving Pinion	5001-0311-30	2670	3472
Intermediate Pinion	5001-0307-40	1244	1618
Inter Spur Wheel	5001-0308-30	2115	2750
Special Nuts with Sp. Washer	5004-0319-40	400	520
Safty Latch	5001-9025-00-00	247	322
Ratchet Wheel	5004-0315-40	1419	1845
Screwed Sleeve	5004-0312-40	1630	2119
Friction Washer	5004-0314-41	349	454
Split Bush	5004-0313-41	466	605
Hand Chain Wheel	5001-0316-30	2062	2680
Ratchet Pawl	5004-0322-40	628	816
Pawl Spring	5004-0325-40	119	155
Stripper	5001-0346-40	509	662
Gear Cover	5001-0337-30	1266	1646
Bush Big	5001-0305-41	2620	3405
Bush Small	5001-0304-41	2590	3368
Carbon Steel Bush	5001-0309-41	1654	2150
Roller With Pin	5001-0340-40	1172	1523
Load Chain Wheel	5001-0302-30	3304	4295
Hand Chain Guard - R.H	5001-0350-40	1215	1579
Check Washer	5004-0318-40	476	619
Bottom Block Assembly	5001-0100-40	5021	6527
Cotter Pin	5001-0109-41	80	104
Housing Assembly		13098	17027
Grease Nipple		65	85
Load Chain (Dia 9.5 mm)	7540-0950-0000	5352	6958
Hand Chain (Per Meter)	7530-0050-0000	1323	1720
Top Hook	5004-0201-30	2110	2743
Bottom Hook	5004-0101-30	2110	2743

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

1.5T & 3T ES CPB Spares				2T ES CPB Spares			
Item Code	Details	NSP	RSP	Item Code	Details	NSP	RSP
5006-0303-31	Load Spur Wheel	7692	9999	5002-0303-40	Load Spur Wheel	10187	13243
5006-0311-30	Driving Pinion	3396	4414	5002-0311-40	Driving Pinion	3396	4414
5006-0307-40	Intermediate Pinion	2563	3332	5002-0307-40	Intermediate Pinion	2563	3332
5006-0308-30	Inter Spur Wheel	3308	4300	5002-0308-40	Inter Spur Wheel	3032	3941
5006-0319-40	Special Nuts with Sp. Washer	400	520	5006-0319-40	Special Nuts with Sp. Washer	400	520
5003-9025-00-00	Safty Latch	364	473	5002-9025-00-00	Safty Latch	364	473
5006-0315-40	Ratchet Wheel	1806	2348	5006-0315-40	Ratchet Wheel	1892	2459
5006-0312-40	Screwed Sleeve	2059	2677	5006-0312-40	Screwed Sleeve	2059	2677
5006-0314-40	Friction Washer	349	454	5006-0314-40	Friction Washer	349	454
5006-0313-40	Split Bush	466	605	5006-0313-40	Split Bush	320	416
5006-0316-30	Hand Chain Wheel	3578	4651	5002-0316-40	Hand Chain Wheel	3638	4730
5004-0322-40	Ratchet Pawl	628	816	5004-0322-40	Ratchet Pawl	684	889
5004-0325-40	Pawl Spring	119	155	5004-0325-40	Pawl Spring	119	155
5006-0346-40	Stripper	631	820	5002-0346-40	Stripper	742	965
5006-0337-20	Gear Cover	2183	2838	5002-0337-40	Gear Cover	1936	2516
5006-0305-41	Bush Big	3517	4572	5002-0305-41	Bush Big	4293	5581
5006-0304-41	Bush Small	3578	4651	5002-0304-41	Bush Small	4264	5543
5006-0309-41	Carbon Steel Bush	1985	2580	5002-0309-40	Carbon Steel Bush	1323	1720
5006-0340-40	Roller With Pin	1334	1734	5002-0340-40	Roller With Pin	4195	5453
5006-0302-30	Load Chain Wheel	10915	14189	5002-0302-40	Load Chain Wheel	4002	5203
5006-0350-40	Hand Chain Guard - R.H	1433	1863	5006-0351-40	Hand Chain Guard - R.H	1433	1863
5006-0318-40	Check Washer	488	634	5006-0318-40	Check Washer	509	662
5003-0100-30	Bottom Block Assembly	22182	28836	5002-0100-30	Bottom Block Assembly	7263	9442
5003-0205-40	Cotter Pin	263	341	5002-0109-40	Cotter Pin	1050	1365
	Grease Nipple	65	85		Grease Nipple	87	114
7580-0120-0000	Load Chain (Dia 12 mm) (Per Meter)	2439	3170	7540-1250-0000	Load Chain (Dia 12 mm) (Per Meter)	2081	2705
7530-0060-00	Hand Chain (Per Meter)	615	800	7530-0060-0000	Hand Chain (Per Meter)	517	672
	Housing Assembly	20774	27007		Housing Assembly	21102	27432
5003-0201-30	Top Hook	5350	6955	5002-0201-30	Top Hook	3202	4162
5003-0101-32	Bottom Hook	5350	6955	5002-0101-30	Bottom Hook	3274	4257

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

5T ES				7.5T & 10T ES			
Item Code	Details	NSP	RSP	Item Code	Details	NSP	RSP
5005-0100-30	Bottom Block Assembly	46351	60257	5007-0100-21	Bottom Block Assembly	92339	120040
5005-0116-40	Cotter Pin	1050	1365				
	Housing Assembly	23285	30270		Housing Assembly	30312	39405
5005-9026-00-00	Safty Latch	669	870	5010-9025-00-00	Safty Latch	1186	1542
5005-0109-30	Bottom / Top Block wheel for	8462	11000	5010-0121-31	Bottom / Top Block wheel for 7.5Te & 10T	5530	7189
5005-0110-40	Bottom Centre pin for 5Te	2052	2668				
5005-0201-30	Top Hook	10792	14030	5007-0201-41	Top Hook	45187	58743
5005-0101-31	Bottom Hook	10792	14030	5510-0101-00-00	Bottom Hook	45187	58743
7540-1250-0000	Load Chain (Dia 12.5 mm) GR40	2439	3170	7580-0120-0000	Load Chain (Dia 12 mm) for 7.5Te & above	2439	3170
7530-0060-00	Hand Chain (Per Meter)	517	672	7530-0060-00	Hand Chain (Per Meter)	517	672
5002-0316-40	Hand Chain Wheel	3638	4730	5002-0316-40	Hand Chain Wheel	3638	4730
5002-0302-40	Load Chain Wheel	4002	5203	5002-0302-40	Load Chain Wheel	4002	5203

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**6.SPARES FOR NX CHAIN PULLEY BLOCK**

Details	1T CPB(NX)			2T CPB(NX)		
	Item Code	NSP	RSP	Item Code	NSP	RSP
CHAIN SPROCKET	5	3333	4333	5	3333	4333
DRIVING SHAFT	9	3333	4333	9	3333	4333
PAWL SPRING + PAWL	13+14	1704	2215	13+14	1704	2215
FRICTION PLATE	16	761	989	16	761	989
RATCHET PLATE	17	2391	3109	17	2391	3109
GUIDE ROLLER	23	2391	3109	23	2391	3109
STRIPPER + PIN	24+28	1232	1602	24+28	1232	1602
PIN	9	935	1215	9	935	1215

Detail	3T CPB(NX)			5T CPB(NX)		
	Item Code	NSP	RSP	Item Code	NSP	RSP
CHAIN SPROCKET	5	5216	6781	5	7390	9607
DRIVING SHAFT	9	3767	4898	9	4710	6123
PAWL SPRING + PAWL	13+14	2174	2826	13+14	2681	3486
FRICTION PLATE	16	942	1225	16	1304	1695
RATCHET PLATE	17	3333	4333	17	4347	5651
GUIDE ROLLER	23	2753	3579	23	3333	4333
STRIPPER + PIN	24+28	1449	1884	24+28	1739	2260
PIN	9	1072	1394	9	1652	2147

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**7.SPARES FOR GEARED TRAVELLING TROLLEY**

Details	1T GTT			2T GTT		
	Item Code	NSP	RSP	Item Code	NSP	RSP
Geared Runner Material: CI	4301-1202-40	2886	3751	GT03-1202-40	5813	7557
Ungeared Runner Material: CI	4301-1203-40	1946	2530	GT03-1203-40	3992	5189
Geared Runner Assembly		6825	8873		7875	10238
Ungeared Runner Assembly		6825	8873		7875	10238
Hand Chain Wheel	4301-1222-40	2412	3135	GT01-0316-40	2462	3200
Traverse Pinion	GT01-1212-40	1397	1816	GT03-1212-40	1846	2400
Traverse Shaft	GT01-1214-41	955	1241	GT03-1214-40	1314	1708
Hand Chain Guard	GT01-1218-40	463	602	GT01-1218-40	482	626

Details	3T GTT			5T GTT		
	Item Code	NSP	RSP	Item Code	NSP	RSP
Geared Runner Material: CI	GT03-1202-40	5813	7557	GT05-1202-40	9289	12076
Ungeared Runner Material: CI	GT03-1203-40	3992	5189	GT05-1203-40	6353	8259
Geared Runner Assembly		9975	12968		14700	19110
Ungeared Runner Assembly		9975	12968		14700	19110
Hand Chain Wheel	4302-1222-40	2462	3200	4303-1222-00	4266	5546
Traverse Pinion	GT03-1212-40	1846	2400	GT05-1212-40	4073	5295
Traverse Shaft	GT03-1214-40	1314	1708	GT05-1214-40	1788	2324
Hand Chain Guard	GT01-1218-40	482	626	GT05-1218-40	688	894

Details	7.5T GTT			10T GTT		
	Item Code	NSP	RSP	Item Code	NSP	RSP
Geared Runner Material: CI	GT07-1202-40	16399	21319	GT10-1202-40	16399	21319
Ungeared Runner Material: CI	GT07-1203-40	10703	13913	GT10-1203-40	10703	13913
Geared Runner Assembly		26250	34125		26250	34125
Ungeared Runner Assembly		26250	34125		26250	34125
Hand Chain Wheel	4207-1222-40	8915	11589	4310-1222-40	18295	23784
Traverse Pinion	GT07-1212-40	3734	4854	GT07-1212-40	3734	4854
Traverse Shaft	GT07-1214-40	2229	2897	GT07-1214-40	2229	2897
Hand Chain Guard	GT07-1218-40	1031	1341	GT10-1218-40	1031	1341

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**8.ELECTRIC CHAIN HOIST**

CAPACITY	ECH WITH BT		ECH WITH PT		ECH WITH GTT	
	NSP	RSP	NSP	RSP	NSP	RSP
0.5T	99488	129334	87623	113909	67725	88043
1T	114660	149058	102743	133565	81900	106470
2T	129780	168714	118965	154655	98280	127764
3T	187110	243243	167633	217922	136500	177450
5T	256305	333197	234675	305078	192203	249863
7.5T	370808	482050	343980	447174	300300	390390
10T	379890	493857	353903	460073	306863	398921

CAPACITY	ECH WITH PUSH PULL TROLLEY		ECH WITH LUG SUSPENSION		ECH WITH HOOK SUSPENSION	
	NSP	RSP	NSP	RSP	NSP	RSP
0.5T	63882	83047	55440	72072	57750	75075
1T	76440	99372	75075	97598	77175	100328
2T	99383	129197	88200	114660	97020	126126
3T	136500	177450	123480	160524	134085	174311
5T	186743	242765	168683	219287	184118	239353
7.5T	291585	379061	242550	315315	264600	343980
10T	301403	391823	248063	322481	270113	351146

ECH CAPACITY	Extra Lift/ (For BT/PT/PPT/LS/HS)		Extra Lift/M (For GTT)	
	NSP	RSP	NSP	RSP
0.5T	562	731	926	1204
1T	810	1053	926	1204
2T	1125	1462	1477	1921
3T	1213	1577	1510	1964
5T	1687	2193	1792	2329
7.5T	1957	2544	2161	2809
10T	1957	2544	2161	2809

Note: 1) Standard lift is 3M

2) If lift is above 20.0M, then please select the next higher capacity of ECH.

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**9.OPTIONAL FEATURES FOR ELECTRIC CHAIN HOIST**

CHAIN COLLECTOR BAG														
Capacity	0.5T		1T		2T		3T		5T		7.5T		10T	
Meters	NSP	RSP												
<b>Below 6M</b>	1764	2293	1764	2293	2426	3153	2867	3726	3033	3943	3708	4820	3932	5112
<b>6M-12M</b>	2150	2795	2150	2795	2701	3511	3350	4354	3638	4730	3969	5160	4300	5590
<b>12M-16M</b>	2646	3440	2646	3440	3032	3941	3528	4586	3969	5160	5182	6736	5513	7166
<b>16M-20M</b>	2756	3583	2756	3583	3528	4586	4389	5706	4741	6163	6174	8026	6615	8600

Capacity	Branded Motor (BBL)					
	Hoist Motor		CT Motor (Only for BT/PT Models)		Hoist & CT Motor (Only for BT/PT Models)	
	NSP	RSP	NSP	RSP	NSP	RSP
<b>0.5T</b>	4667	6067	2955	3842	7622	9909
<b>1T</b>	4667	6067	2955	3842	7622	9909
<b>2T</b>	4829	6277	2955	3842	7784	10119
<b>3T</b>	6686	8692	4240	5513	10927	14205
<b>5T</b>	8160	10608	5357	6964	13517	17572
<b>7.5T</b>	13076	16998	4975	6467	18051	23466
<b>10T</b>	13076	16998	5137	6678	18213	23677

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

ECH CAPACITY	Epoxy Paint Charges		Polyurethane (PU) Paint Charges	
	NSP	RSP	NSP	RSP
<b>0.5T</b>	1902	2472	2095	2723
<b>1T</b>	1902	2472	2095	2723
<b>2T</b>	2608	3391	2772	3604
<b>3T</b>	3692	4799	3843	4996
<b>5T</b>	4536	5897	4725	6143
<b>7.5T</b>	5229	6798	5418	7043
<b>10T</b>	5292	6880	5670	7371

**Note: 1) Epoxy/PU Painting Rate Difference is Not Applicable in case of color shade change**

**2) Above rate is applicable for up to 150 Micron DFT. For each additional 25 Micron DFT, 10% price increase is applicable**

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**10.SPARES FOR ELECTRIC CHAIN HOIST**

**0.5T**

Item Code	Details	NSP	RSP
ND-ECH04-0302-40	Load Chain Wheel	2566	3336
ND-ECH04-1003-40	Motor Pinion (Z-17, M-1)	2490	3237
ND-ECH04-1004-40	1st Stage Gear (Z-63, M-1)	2058	2676
ND-ECH04-1005-40	2nd Stage Pinion (Z-13, M-1.25)	2046	2659
ND-ECH04-1006-40	2nd Stage Gear (Z-60, M-1.25)	2655	3452
ND-ECH04-1007-40	3rd Stage Pinion (Z-14, M-1.5)	2547	3312
ND-ECH04-1008-40	3rd Stage Gear (Z-60, M-1.5)	3202	4162
ND-ECH04-1056-40	Stripper With Allen Bolt & Nut	1175	1528
2001-0339-41	Guide Roller With Bolt & Nut & Roller Pin	1035	1346
ND-ECH04-1032-40	Chain Locking Bar	1080	1404
2001-0101-40	Bottom Hook	1448	1883
5004-0102-30	Cross Head Swivel	1309	1701
2001-0100-30	Bottom Block Assembly	3202	4162
EM4-0055S-071S-5144	0.55 KW,4 Pole,Sq Cage Motor,Frame-71,B14-B14 Mtd,Sse,150 SPH,40% CDF,S4 Duty,50°C Ambient Temp.,Class F Insulation	26985	35081
EBK-ACD-0140-GM	Acem Disc Type Brake,415VAC,Model:GAI-140, Make:GMAC.	14407	18730
ELS-050-0RTG-SN	Rotary Geared Limit Switch, Ratio-50:1, 2 NC Contact, Make:SNT	9148	11892

**1T ECH**

Item Code	Details	NSP	RSP
ECH01-1002-40	Load Chain Wheel	2871	3733
ECH01-1003-40	Motor Pinion	3125	4063
ECH01-1004-40	1st Stage Gear	2439	3171
ECH01-1005-40	2nd Stage Pinion	2090	2717
ECH01-1006-40	2nd Stage Gear	3812	4955
ECH01-1007-40	3rd Stage Pinion	2668	3468
ECH01-1008-40	3rd Stage Gear	6588	8564
ECH01-1020-40	Chain Guide	3354	4360

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001  
 Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855  
 Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

ECH01-1024-40	Stripper With Allen Bolt & Nut	1150	1495
ECH01-1044-46	Guide Roller With Bolt & Nut & Roller Pin	1791	2329
ECH01-1032-40	Chain Locking Bar	1207	1569
5001-0101-30	Bottom Hook	1906	2477
5001-0108-30	Cross Head Swivel	1429	1858
5001-0105-40	Cotter Pin	83	107
5001-0108-30	Cross Head Swivel	1436	1866
5001-0100-40	Bottom Block Assembly	7415	9640
EM4-01505-080D-01414-MO	1.1KW,4pole, Cage Motor, Dol, Frame-80, B14-B14 MTD, DSE,150sph,40%CDF, S4 Duty,45°C Ambient Temp.,Class F Insulation, Make : Morris Equi.	33541	43604
EBK-ACD-0150-GM	Acem Disc Type Brake	15551	20216
ELS-200-0RTG-SO	Rotary Geared Limit Switch,	14674	19077
4601-0018-41	Integral Pinion (BT Use)	9148	11892
2101-1519-40	Integral Pinion	2287	2973
1004-1236-40	Gear	2439	3171
1004-1241-41	C. T. Motor Pinion	1575	2048
8910-FYTB-0170	Y - Bearing (FYTB 17)	2134	2775
EM4-00250-063S-B54-MG	0.18KW,4 Pole, Sq Cage Motor,Frame-63,Flange Mtd, SSE,150 Sph,S4 Duty,40% CDF, 45'c Ambient Temp, Class F Insulation,	21622	28108
2101-1501-41	Geared Runner	7737	10059
2101-1502-41	Ungeared Runner	5336	6937
ECH01-PT01-1503-40	Runner Pin	1251	1627
2101-9007-40	Lock Nut	1340	1742
1004-1220-41	CT Gear Box Casing	4269	5550
ECH01-BT01-1308-40	Bottom Cross Bar	5336	6937
GT01-1202-40	Geared Runner	2960	3848
GT01-1203-40	Ungeared Runner	1982	2577
GT01-1204-40	Geared Runner Pin	1067	1387
GT01-1212-40	Traverse Pinion	661	859
ECH01-GT01-1214-40	Traverse Shaft	718	933
ECH01-GT01-1218-40	Hand Chain Guard	578	752
GT01-0316-40	Hand Chain Wheel With Key & Split Pin	2395	3113
GT01-1311-R2-40	Cross Bolt With Hex Nut	864	1123
ECH01-PT01-1311-40	Cross Bolt With Hex Nut	921	1197

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

EPB-002-CB61-LC	Pendant Push Button Station,2way, Plastic Enclosure, Model: COB 62,	1690	2197
2001-0201-40	Top Hook	2014	2618

**2T ECH**

Item Code	Details	NSP	RSP
ECH02-1002-40	Load Chain Wheel	4104	5335
ECH02-1003-40	Motor Pinion	3443	4476
ECH02-1004-40	1st Stage Gear	2287	2973
ECH02-1005-40	2nd Stage Pinion	2744	3568
ECH02-1006-40	2nd Stage Gear	4955	6441
ECH02-1007-40	3rd Stage Pinion	3386	4402
ECH02-1008-40	3rd Stage Gear	9160	11908
ECH02-1020-40	Chain Guide	3691	4798
ECH02-1024-40	Stripper With Allen Bolt & Nut	1220	1586
ECH01-1032-40	Chain Locking Bar	1207	1569
ECH01-1044-46	Guide Roller With Bolt & Nut & Roller Pin	1525	1982
2002-0101-40	Bottom Hook	2897	3766
2002-0102-41	Bottom Cross Bar	2554	3320
ECH02-0102-40 (REV.01)	Bottom Block Wheel	2624	3411
2002-0113-41	Bottom Guard	495	644
8900-NKIB-2016	20/16 (Needle Bearing)	1436	1866
EM4-03005-90LD-01414-MO	3 Hp,Sq Cage Motor,Class F Insulation,	45738	59459
EBK-ACD-150X-GM	Acem Disc Type Brake,415VAC, Model:GAI150X, Make:GMAC.	20125	26162
ELS-200-0RTG-SO	Rotary Geared Limit Switch, Make:SOC	14503	18854
ECH02-0100-30	Bottom Block Assembly	20315	26410
2101-1501-41	Geared Runner	6251	8126
2101-1502-41	Ungeared Runner	4726	6144
ECH02-PT02-1503-40	Runner Pin	1131	1470
1004-1220-41	CT Gear Box Casing	3691	4798
2101-1519-40	Integral Pinion	2274	2956
1004-1236-41	Gear	3017	3923
1004-1241-40	C.T. Motor Pinion	1537	1998
ECH02-PT02-1549-40	Cross Bolt With Nut	1251	1627

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001

Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855

Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

Item Code	Details	NSP	RSP
EM4-00250-063S-B54-MG	0.18 KW,4 Pole, Sq Cage Motor, Frame-63,Flange Mtd,SSE,150 Sph,S4 Duty,40% CDF,45'C Ambient Temp, Class F Insulation,	22259	28937
ECH02-PT02-1503-40	Runner Pin	1163	1511
GT03-1202-40	Geared Runner	4453	5789
GT03-1203-40	Un-geared Runner	2605	3386
GT03-1212-40	Traverse Pinion	1652	2147
ECH02-GT02-1214-40	Traverse Shaft	947	1230
ECH01-GT01-1218-40	Hand Chain Guard	446	580
GT01-0316-40	Hand Chain Wheel	2907	3779
ECH02-PT02-1311-40	Cross Bolt With Nut	1569	2040
EPB-002-CB62-LC	Pendant Push Button Station,2WAY, Plastic Enclosure, Model: COB 62,	2147	2791
2002-0201-40	Top Hook	3865	5024

**3T ECH**

Item Code	Details	NSP	RSP
ECH03-0315-40	Load Chain Wheel	8233	10703
ECH03-1003-40	Motor Pinion	6162	8011
ECH03-1004-40	1st Stage Gear	7229	9398
ECH03-1005-40	2nd Stage Pinion	4955	6441
ECH03-1006-40	2nd Stage Gear	14611	18994
ECH03-1007-40	3rd Stage Pinion	6372	8283
ECH03-1008-40	3rd Stage Gear	38115	49550
ECH03-1020-40	Chain Guide	8080	10504
ECH03-1056-40	Stripper With Allen Bolt & Nut	5641	7333
ECH03-1032-40	Chain Locking Bar	1952	2538
ECH03-1055 -56	Guide Roller with Bolt & Nut & Roller Pin	2681	3485
2003-0101-40	Bottom Hook	12807	16649
5002-0108-31	Cross Head Swivel	1053	1369
2003-0100-30	Bottom Block Assembly	50312	65405
EM4-0500S-00LD-01414-MO	3.7 KW, Sq Cage Motor, Dol, Class F Insulation, Make: Morris Equi.	65417	85042
EBK-ACD-0190-GM	Acem Disc Type Brake, Make: GMAC.	27001	35101

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

Item Code	Details	NSP	RSP
ELS-200-0RTG-SO	Rotary Geared Limit Switch, Make: SOC	12578	16351
2103-1501-40	Geared Runner	11875	15438
2103-1502-40	Ungeared Runner	17380	22595
2342-1503-40	Runner Pin	1098	1427
1002-1213-22	CT Gear Box Casing	7166	9315
1002-1226-44	Motor Pinion	6162	8011
1002-1219-45	Spur Gear	4054	5270
2103-1519-41	Integral Pinion	1800	2340
2103-1549-42	Cross Bolt With Hex Nut	3252	4228
EM4-0050S-080S-054-MG	0.37KW, Flange Mounted, SQ Motor, Class 'F' Insulation	23822	30968
GT03-1202-40	Geared Runner	6905	8977
GT03-1203-40	Un-geared Runner	4148	5393
GT03-1212-40	Traverse Pinion	3252	4228
ECH03-GT03-1214-40	Traverse Shaft	1525	1982
ECH01-GT01-1218-40	Hand Chain Guard	413	537
GT01-0316-40	Hand Chain Wheel	4001	5202
GT03-1311-40	Cross Bolt With Hex Nut	3252	4228
EPB-004-CB62-LC	Pendant Push Button Station,4WAY, Plastic Enclosure.	889	1156
4302-1311-41	Cross Bolt with Hex Nut	3252	4228
2003-0201-41	Top Hook	11905	15476

**5T ECH**

Item Code	Details	NSP	RSP
ECH05-0315-40	Load Chain Wheel	8233	10703
ECH05-1003-40	Motor Pinion	6162	8011
ECH05-1004-40	1st Stage Gear	7229	9398
ECH05-1005-40	2nd Stage Pinion	4955	6441
ECH05-1006-40	2nd Stage Gear	14611	18994
ECH05-1007-40	3rd Stage Pinion	6372	8283
ECH05-1008-40	3rd Stage Gear	38115	49550
ECH03-1012-40	Distance Bolt with Hex Nut	2179	2833
ECH05-1020-40	Chain Guide	8080	10504
ECH03-1056-40	Stripper With Allen Bolt & Nut	5641	7333

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001  
 Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855  
 Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

Item Code	Details	NSP	RSP
ECH03-1032-40	Chain Locking Bar	1802	2342
ECH03-1055 -56	Guide Roller with Bolt & Nut & Roller Pin	2681	3485
1839-1279-40	Coupling For Limit Switch	2789	3625
5005-0101-31	Bottom Hook	12807	16649
ECH05-0102-40	Bottom Cross Bar	4453	5789
5005-0105-40	Round Nut	1004	1305
ECH05-0121-40 (rev.01)	Bottom Block Wheel	4663	6062
ECH05-0113-40	Bottom Guard	1385	1800
ECH05-2003-0100-30	Bottom Block Assembly	50312	65405
EM6-0500S-12MD-01414-MO	3.7 KW,6pole, Sq Cage Motor, DOL, Frame-112m, B14-B14 Mtd, Dse,150sph,40%Cdf, S4 Duty,45°C Ambient Temp.,	69878	90841
EBK-ACD-235X-GM	Acem Disc Type Brake,415VAC, Make: GMAC.	31763	41291
ELS-200-0RTG-SO	Rotary Geared Limit Switch, Make: SOC	12578	16351
2105-1501-41	Geared Runner, (T-103, M 2.5)	33922	44099
2105-1502-41	Ungeared Runner	17380	22595
ECH05-PT05-1503-40	Geared Runner Pin	1906	2477
1002-1213-22	CT Gear Box Casing	7166	9315
1002-1226-44	Motor Pinion (z=17, m=1.5)	2376	3089
1002-1219-45	Spur Gear (z=78, m=1.5)	6022	7829
2105-1520-41	Integral Pinion (Z=12, m=2.5)	3691	4798
2105-1549-42	Cross Bolt With Hex Nut & Spring Washer	4910	6384
EM6-0050S-080S-B54-MG	0.37KW,6 Pole, AC Sq Cage Motor, Frame-80, Flange Mtd, SSE,150 SPH,S4 Duty,40% CDF,45'c Ambient Temp, Class F Ins	24775	32207
GT05-1202-40	Geared Runner	6905	8977
GT05-1203-40	Un-geared Runner	4148	5393
GT05-1212-40	Traverse Pinion	3252	4228
ECH05-GT05-1214-40	Traverse Shaft	1525	1982
ECH05-GT05-1218-40	Hand Chain Guard	413	537
4303-1222-40	Hand Chain Wheel	3386	4402
GT05-1305-40	Cross Bolt with Hex Nut	3252	4228
EPB-004-CB62-LC	Pendant Push Button Station,4way, Plastic Enclosure, Model: COB 62.	2198	2857
ECH05-PP05-1306-40	Cross Bolt with Hex Nut	3176	4129
2005-0201-41	Top Hook	11905	15476

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**11. ROPEMASTER WIRE ROPE HOIST**

Capacity	EHB WITH POWER TROLLEY		EHB WITH BOOGIE TROLLEY		EHB WITH GEARED TRAVELLING TROLLEY		EHB WITH FIXED SUSPNESION	
	NSP	RSP	NSP	RSP	NSP	RSP	NSP	RSP
1T_6M_4F	144428	187756	151594	197072	141561	184029	131612	171095
1T_6M_2F	142223	184889	149389	194205	139202	180962	127989	166386
1T_12M_2F	146633	190622	153248	199222	143331	186330	132819	172665
1T_16M_2F	148838	193489	154901	201372	147459	191697	134027	174235
1T_20M_2F	154350	200655	162619	211404	156897	203966	143686	186792
1T_25M_2F	157106	204238	165375	214988	161615	210100	146101	189931
1T_30M_2F	169785	220721	178868	232528			147693	190426
1T_50M_2F	195983	254777	205643	267335				
2T_6M_4F	163721	212838	171439	222870	160436	208567	153346	199350
2T_6M_2F	161516	209971	168683	219287	156897	203966	148516	193071
2T_12M_2F	165375	214988	173093	225020	162205	210867	154553	200919
2T_16M_2F	173093	225020	182464	237203	175772	228503	163609	212692
2T_20M_2F	187425	243653	195143	253685	192287	249973	179306	233098
2T_25M_2F	201206	261568	208373	270884	201724	262242	187758	244086
2T_30M_2F	215250	279825	223860	291018			192780	250614
2T_40M_2F	228218	296683	237930	309309				
2T_50M_2F	268223	348689	279038	362749				
3T_6M_4F	201206	261568	208373	270884	192166	249815	181117	235452
3T_6M_2F	198450	257985	206168	268018	188693	245301	176287	229174
3T_12M_2F	206719	268734	217193	282350	203742	264865	190777	248010
3T_16M_2F	221051	287367	227115	295250	211845	275399	199229	258997
3T_20M_2F	224910	292383	231525	300983	216476	281419	202851	263707
3T_25M_2F	239794	311732	248063	322481	234998	305497	220963	287252
3T_30M_2F	245490	319137	257408	334630			212940	276822
3T_40M_2F	289853	376808	301770	392301				
3T_50M_2F	309330	402129	317940	413322				

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

Capacity	EHB WITH POWER TROLLEY		EHB WITH BOOGIE TROLLEY		EHB WITH GEARED TRAVELLING TROLLEY		EHB WITH FIXED SUSPNESION	
	NSP	RSP	NSP	RSP	NSP	RSP	NSP	RSP
5T_6M_4F	258090	335517	276308	359200	249543	324406	218484	284029
5T_12M_2F	267750	348075	283815	368960	260253	338329	224910	292383
5T_16M_2F	274155	356402	300930	391209	279531	363390	235620	306306
5T_20M_2F	299880	389844	316995	412094	294525	382883	245259	318837
5T_25M_2F	319043	414755	334215	434480	315945	410729	273000	354900
5T_30M_2F	335265	435845	351488	456934			305760	397488
5T_40M_2F	356003	462803	369863	480821				
5T_50M_2F	423675	550778	432600	562380				
7.5T_6M_4F	396270	515151	403778	524911	374850	487305	367353	477559
7.5T_12M_4F	401625	522113	423045	549959	390915	508190	401625	522113
7.5T_16M_4F	433755	563882	454125	590363	436968	568058	430542	559705
10T_6M_4F	406980	529074	423045	549959	385560	501228	385560	501228
10T_12M_4F	428400	556920	449820	584766	421974	548566	419832	545782
10T_16M_4F	471240	612612	492660	640458	460530	598689	439110	570843
10T_20M_4F	503370	654381	524790	682227	487305	633497	465885	605651
15T_6M_4F	559125	726863	580755	754982	546158	710005	519120	674856
15T_12M_4F	638085	829511	665123	864659	605640	787332	584010	759213
20T_12M_4F	792540	1030302	856800	1113840	757050	984165	746235	970106
20T_16M_4F	872865	1134725	937125	1218263	854385	1110701	832755	1082582
25T_12M_8F	1162035	1510646	1263780	1642914				
25T_16M_8F	1204875	1566338	1306620	1698606				
35T_16M_8F	2039625	2651513	2116800	2751840				

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**12.CLASS-IV ROPEMASTER WIRE ROPE HOIST**

Capacity	EHB CLASS-IV WITH POWER TROLLEY		EHB CLASS-IV WITH BOOGIE TROLLEY	
	NSP	RSP	NSP	RSP
1T_6M_4F	163721	212838	171439	222870
1T_6M_2F	161516	209971	168683	219287
1T_12M_2F	165375	214988	173093	225020
1T_16M_2F	173093	225020	182464	237203
1T_20M_2F	187425	243653	195143	253685
1T_25M_2F	201206	261568	208373	270884
2T_6M_4F	201206	261568	208373	270884
2T_6M_2F	198450	257985	206168	268018
2T_12M_2F	206719	268734	217193	282350
2T_16M_2F	221051	287367	227115	295250
2T_20M_2F	224910	292383	231525	300983
2T_25M_2F	239794	311732	248063	322481
3T_6M_4F	246330	320229	255380	331994
3T_6M_2F	244188	317444	251578	327051
3T_12M_2F	251685	327191	259075	336797
3T_16M_2F	257040	334152	261967	340557
3T_20M_2F	278460	361998	281855	366412
3T_25M_2F	289170	375921	291665	379165
5T_6M_4F	305235	396806	315945	410729
5T_12M_2F	308448	400982	319158	414905
5T_16M_2F	310590	403767	322371	419082
5T_20M_2F	332010	431613	344862	448321
5T_25M_2F	351488	456934	359856	467813

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**13. OPTIONAL FEATURES OF ROPEMASTER WIRE ROPE HOIST**

DESCRIPTION	NSP	RSP
CT Limit Switch	2258	2935
CT Brake (ACEM Disc) - Up to 5Te	6510	8463
CT Brake (ACEM Disc) - 7.5Te to 15Te	7665	9965
Gravity type Limit Switch for Hoist	8925	11603
<b>DCEM DISC TYPE BRAKE (MAKE:PETHE) FOR HOIST MOTOR</b>		
Capacity	NSP	RSP
1T	4284	5569
2T & 3T	4820	6265
5T	7497	9746
7.5T & 10T	9639	12531
15T	10175	13227
<b>DCEM DISC TYPE BRAKE (MAKE:PETHE) FOR CT MOTOR</b>		
Capacity	NSP	RSP
1T	2142	2785
2T & 3T	2592	3369
5T	2592	3369
7.5T & 10T	3052	3968
15T	5194	6753
<b>TROLLEY SUITABLE FOR HIGER FLANGE WIDTH</b>		
Details	NSP	RSP
211 - 300 mm	5264	6843
301 - 400 mm	6115	7950
401 - 500 mm	7733	10052
<b>FLAT RUNNER</b>		
Capacity	NSP	RSP
1T to 2T	825	1072
3T	985	1281
5 T to 10 T	1232	1601
Above 10	1392	1810

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

CAPACITY	Epoxy Paint Charges		Polyurethane (PU) Paint Charges	
	NSP	RSP	NSP	RSP
Up to 3 T	3572	4643	4498	5848
5 T to 10 T	4273	5555	5848	7602
Above 10 T to 20T	6297	8187	8996	11695

Note: 1) Epoxy/PU Painting Rate Difference is Not Applicable in case of color shade change

2) Above rate is applicable for up to 150 Micron DFT. For each additional 25 Micron DFT, 10% price increase is applicable

<b>CANOPY</b>		
Details	NSP	RSP
Canopy for Hoist / CT Motor & Panel up to 5T	7872	10233
Canopy for Hoist / CT Motor & Panel 7.5T to 15T	10496	13645
<b>FESTOON CABLE ARRANGEMENT (RATE PER METER)</b>		
<b>FLOOR MOUNTED CONTROL PANEL Standard Cable Plus T-Track) (Rate Per Meter) With Looping</b>	NSP	RSP
T' Track System PVC cable up to 5T 2.5 Sq mm x 4C	2573	3344
T' Track System PVC cable 7.5T to 15T 4 Sq mm x 4C	2730	3549
<b>FLOOR MOUNTED CONTROL PANEL (Branded Cable Make Universal/Polycab Plus T-Track) (Rate Per Meter)</b>	NSP	RSP
T' Track System PVC cable up to 5T 2.5 Sq mm x 4C	2783	3617
T' Track System PVC cable 7.5T to 15T 4 Sq mm x 4C	2961	3849
T' Track System EPR cable up to 5T 2.5 Sq mm x 4C	3990	5187
T' Track System EPR cable 7.5T to 15T 4 Sq mm x 4C	4148	5392
T' Track System Flame Proof cable up to 5T 2.5 Sq mm x 4C	3486	4532
T' Track System Flame Proof cable 7.5T to 15T 4 Sq mm x 4C	3728	4846
<b>Control Panel to Starting Point of T-Track</b>		
<b>FLOOR MOUNTED CONTROL PANEL (Standard Cable Rate Per Meter)</b>	NSP	RSP
PVC cable up to 5T	1502	1952
PVC cable 7.5T to 15T	1675	2177
<b>FLOOR MOUNTED CONTROL PANEL (Branded Cable Make Universal/Polycab Rate Per Meter)</b>	NSP	RSP
PVC cable up to 5T	1575	2048
PVC cable 7.5T to 15T	1733	2252
EPR cable up to 5T	2993	3890
EPR cable 7.5T to 15T	3150	4095
Flame Proof cable up to 5T	1785	2321
Flame Proof cable 7.5T to 15T	1995	2594

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001

Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855

Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

<b>HOIST MOUNTED CONTROL PANEL (Standard CABLE Plus T-Track) (Rate Per METER) with Looping</b>	<b>NSP</b>	<b>RSP</b>
T' Track System PVC cable up to 5T 2.5 Sq mm x 4C	1250	1624
T' Track System PVC cable 7.5T to 15T 4 Sq mm x 4C	1360	1768
<b>HOIST MOUNTED CONTROL PANEL (Branded CABLE Make Universal/Polycab Plus T-Track) (Rate Per Meter) with</b>	<b>NSP</b>	<b>RSP</b>
T' Track System PVC cable up to 5T 2.5 Sq mm x 4C	1286	1672
T' Track System PVC cable 7.5T to 15T 4 Sq mm x 4C	1397	1815
T' Track System EPR cable up to 5T 2.5 Sq mm x 4C	1449	1884
T' Track System EPR cable 7.5T to 15T 4 Sq mm x 4C	1733	2252
T' Track System Flame Proof cable up to 5T 2.5 Sq mm x 4C	1575	2048
T' Track System Flame Proof cable 7.5T to 15T 4 Sq mm x 4C	1733	2252
<b>Isolator/Junction Box to Starting Point of T-Track</b>		
<b>HOIST MOUNTED CONTROL PANEL (Standard Cable Rate Per Meter)</b>	<b>NSP</b>	<b>RSP</b>
PVC cable up to 5T	231	300
PVC cable 7.5T to 15T	278	362
<b>HOIST MOUNTED CONTROL PANEL (Branded Cable Make Universal/Polycab Rate Per Meter)</b>	<b>NSP</b>	<b>RSP</b>
PVC cable up to 5T	257	334
PVC cable 7.5T to 15T	305	396
EPR cable up to 5T	483	628
EPR cable 7.5T to 15T	599	778
Flame Proof cable up to 5T	273	355
Flame Proof cable 7.5T to 15T	305	396
<b>DSL Surround Bus Bar System (SNT) Straight line (Packing Charges 2500 is Extra) (Standard)</b>	<b>NSP</b>	<b>RSP</b>
60 Amp of All GI Conductors (RYBE)	1071	1392
100 Amp of All GI Conductors (RYBE)	1124	1461
125 Amp of All GI Conductors (RYBE)	1176	1529
Current Collector (1 set of 4 Nos)	5891	7658
160 Amp of All Copper Conductors (RYBE)	4016	5221
Current Collector (1 set of 4 Nos)	5891	7658

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

<b>DSL Surround Bus Bar System (SNT) Curvature (Packing Charges 2500 is Extra)</b>	<b>NSP</b>	<b>RSP</b>
60 Amp of All GI Conductors (RYBE)	1985	2580
100 Amp of All GI Conductors (RYBE)	2090	2716
125 Amp of All GI Conductors (RYBE)	2142	2785
Current Collector (1 set of 4 nos)	5891	7658
160 Amp of All Copper Conductors (RYBE)	5145	6689
Current Collector (1 set of 4 nos)	5891	7658

<b>LOCAL ISOLATOR (SFU)</b>		
<b>SFU With Enclosure</b>	<b>NSP</b>	<b>RSP</b>
Isolator (SFU)(C&S)-32A,415V	5208	6770
Isolator (SFU)(C&S)-63A,415V	6237	8108
Isolator (SFU)(C&S)-100A,415V	9356	12162
Isolator (MCCB)(C&S)-UP TO 100A,415V	16606	21587
Isolator (SFU)(SIEMENS)-32A415V	5208	6770
Isolator (SFU)(SIEMENS)-63A415V	6237	8108
Isolator (SFU)(SIEMENS)-100A415V	9356	12162
Isolator (MCCB)(SIEMENS)-UP TO 100A415V	16606	21587
Isolator (SFU)(SCHNEIDER)-32A415V	7340	9541
Isolator (SFU)(SCHNEIDER)-63A415V	8085	10511
Isolator (SFU)(SCHNEIDER)-100A415V	14385	18701
Isolator (MCCB)(SCHNEIDER)-UP TO 100A415V	16065	20885
Isolator (SFU)(L&T)-32A415V	7067	9186
Isolator (SFU)(L&T)-63A415V	8295	10784
Isolator (SFU)(L&T)-100A415V	14842	19294
Isolator (MCCB)(L&T)-UP TO 100A415V	18060	23478
<b>SFU Without Enclosure</b>	<b>NSP</b>	<b>RSP</b>
SFU with HRC Fuse (Without Enclosure) (C&S)-32A.415V	2888	3754
SFU with HRC Fuse (Without Enclosure) (C&S)-63A.415V	6029	7838
SFU with HRC Fuse (Without Enclosure) (C&S)-100A.415V	7046	9159
SFU with HRC Fuse (Without Enclosure) (SIEMENS)-32A.415V	3003	3904
SFU with HRC Fuse (Without Enclosure) (SIEMENS)-63A.415V	3927	5105
SFU with HRC Fuse (Without Enclosure) (SIEMENS)-100A.415V	7300	9489
SFU with HRC Fuse (Without Enclosure) (SCHNEIDER)-32A.415V	3673	4775
SFU with HRC Fuse (Without Enclosure) (SCHNEIDER)-63A.415V	4701	6111

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

SFU with HRC Fuse (Without Enclosure) (SCHNEIDER)-100A.415V	9529	12387
SFU with HRC Fuse (Without Enclosure) (L&T)-32A.415V	3581	4655
SFU with HRC Fuse (Without Enclosure) (L&T)-63A.415V	4562	5931
SFU with HRC Fuse (Without Enclosure) (L&T)-100A.415V	8160	10608
Horn For 50 Mtr. Range 230 VAC Make: Kheraj	3641	4733
Flash Light with Horn 220 VAC Make: Kheraj	13870	18030
250VA Transformer in place of std 50VA	3936	5117
Junction Box (SIZE:300mm(W) x 400mm(H) x 120mm(D)	8164	10614

<b>BRANDED MOTOR FOR BOTH HOIST &amp; CT (Standard Ropemaster Wire Rope Hoist)</b>		
<b>Make</b>	<b>BBL</b>	
<b>1T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	7916	10291
26 To 50M	9723	12640
<b>2T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	10277	13361
26 To 50M	10277	13361
<b>3T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	10277	13361
26 To 50M	15297	19886
<b>5T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	16151	20996
26 To 50M	20271	26353
<b>7.5T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	15358	19966
26 To 50M	14845	19298
<b>10T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	14403	18724
26 To 50M	14845	19298
<b>15T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	16342	21245
<b>20T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	14868	19328

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001  
 Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855  
 Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

<b>BRANDED MOTOR FOR HOIST ONLY (Standard Ropemaster Wire Rope Hoist)</b>		
<b>Make</b>	<b>BBL</b>	
<b>1T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	4246	5520
26 To 50M	6053	7869
<b>2T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	6245	8119
26 To 50M	6245	8119
<b>3T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	6245	8119
26 To 50M	11265	14644
<b>5T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	11759	15287
26 To 50M	15879	20643
<b>7.5T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	11135	14476
26 To 50M	10622	13808
<b>10T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	10622	13808
26 To 50M	10622	13808
<b>15T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	13746	17870
<b>20T Capacity</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	10622	13808

<b>VFD for Hoisting with BME/BME Equivalent Motor for Standard Ropemaster Wire Rope Hoist</b>						
<b>Make</b>	<b>Danfoss</b>		<b>Schneider</b>		<b>L&amp;T</b>	
<b>1T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	28780	37414	24523	31880	34804	45246
26 To 50M	31077	40400	23446	30480	33728	43846
<b>2T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	31762	41290	27022	35129	35055	45571
26 To 50M	39752	51678	35575	46248	38467	50007
<b>3T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	36289	47175	31630	41119	37734	49055

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001  
 Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855  
 Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

26 To 50M	39029	50738	34852	45308	37744	49067
<b>5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	39823	51770	38538	50099	38538	50099
26 To 50M	50837	66088	52122	67759	61922	80498
<b>7.5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 16M	50437	65568	51722	67239	61522	79979
<b>10T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	79694	103602	78811	102454	80819	105064
<b>15T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	79694	103602	78811	102454	80819	105064
<b>20T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	103804	134946	100752	130978	100431	130560
<b>25T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	115583	150258	116387	151303	124499	161849
<b>VFD for CT Only with BME/BME Equivalent Motor for Standard Ropemaster Wire Rope Hoist</b>						
<b>Make</b>	<b>Danfoss</b>		<b>Schneider</b>		<b>L&amp;T</b>	
<b>1T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	18564	24133	18564	24133	22259	28937
26 To 50M	18564	24133	18564	24133	22259	28937
<b>2T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	18564	24133	18564	24133	22259	28937
26 To 50M	18564	24133	17440	22671	22259	28937
<b>3T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	18555	24121	17430	22659	22250	28924
26 To 50M	18564	24133	17440	22671	22259	28937
<b>5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	18555	24121	17430	22659	22250	28924
26 To 50M	18555	24121	17440	22671	22259	28937
<b>7.5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	18611	24194	17486	22732	22306	28997
<b>10T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	18611	24194	17486	22732	22306	28997
<b>15T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	18611	24194	17486	22732	22306	28997
<b>20T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	23543	30606	17519	22775	23543	30606

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

<b>25T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	21586	28062	19096	24825	21586	28062

<b>VFD for Hoisting with BBL Motor for Standard Ropemaster Wire Rope Hoist</b>						
<b>Make</b>	<b>Danfoss</b>		<b>Schneider</b>		<b>L&amp;T</b>	
<b>1T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	39184	50940	30108	39140	40390	52506
26 To 50M	44001	57202	31551	41017	41833	54383
<b>2T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	45872	59634	35824	46571	43857	57014
26 To 50M	53863	70022	44377	57690	47269	61450
<b>3T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	50399	65519	40432	52561	46536	60497
26 To 50M	59288	77075	49803	64743	52694	68503
<b>5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	61694	80203	54655	71052	54655	71052
26 To 50M	79070	102791	74601	96982	84401	109721
<b>7.5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 16M	70804	92045	66460	86397	76259	99137
<b>10T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	99557	129424	93548	121612	95052	123568
<b>15T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	103719	134834	97540	126803	99549	129413
<b>20T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	126107	163939	117469	152710	117148	152293
<b>25T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	137886	179252	133104	173035	141217	183582

<b>VFD for CT only with BBL Motor for Standard Ropemaster Wire Rope Hoist</b>						
<b>Make</b>	<b>Danfoss</b>		<b>Schneider</b>		<b>L&amp;T</b>	
<b>1T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	23383	30398	23383	30398	27078	35202
26 To 50M	23383	30398	23383	30398	27078	35202
<b>2T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	23873	31035	23873	31035	27568	35838

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001  
 Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855  
 Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

26 To 50M	23873	31035	22749	29573	27568	35838
<b>3T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	23864	31023	22739	29561	27558	35826
26 To 50M	23873	31035	22749	29573	27568	35838
<b>5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 25M	24309	31601	23184	30139	28003	36405
26 To 50M	24309	31601	23194	30152	28013	36417
<b>7.5T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	24240	31512	23116	30050	27935	36316
<b>10T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	24240	31512	23116	30050	27935	36316
<b>15T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	23905	31077	22781	29615	27600	35880
<b>20T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	29128	37867	23104	30035	29128	37867
<b>25T Capacity</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>	<b>NSP</b>	<b>RSP</b>
Up To 20M	27171	35323	24681	32085	27171	35323

**Extra charges for Bronze Coating for Hook**

Capacity	NSP	RSP
1T	2756	3583
2T	3308	4300
3T	4410	5733
5T	6615	8600
10T	14333	18632
15T	16538	21499

Brady House, 12/14 Veer Nariman Road, Fort, Mumbai 400 001

Tel: +91 (0)22 22048361 – 65 Fax: +91 (0)22 22041855

Website: [www.bradymorris.in](http://www.bradymorris.in)

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

**14. SPARES FOR ROPEMASTER WIRE ROPE HOIST**

**1T EHB**

Item Code	Details	NSP	RSP
2101-1011-00-00	Motor Pinion	2516	3270
2101-1012-00-00	I Stage Gear	6327	8225
2101-1013-00-00	II Stage Pinion	4158	5405
2101-1014-00-00	II Stage Gear	17235	22405
2101-1015-00-00	III Stage Pinion	5613	7297
2101-1016-00-00	Drum Gear	25017	32522
2101-1201/51/54	Rope Guide – 2F/4F (LH/RH)	8385	10901
15560-2101-1451-41	Hook	10658	13856
1001-0121-30	Bottom Block Assembly	45073	58595
2101-1450-30	Bottom Block Assembly	47498	61748
2101-1501-41	Geared Runner	13283	17267
2101-1502-41	Ungeared Runner	9240	12012
2101-1501-CS	Geared Runner Assembly	29404	38225
2101-1502-CS	Ungeared Runner Assembly	18399	23919
1004-1220-41	CT Gear Box (Casing Only)	6556	8523
2101-1517-40	CT Gear Box Assembly	22536	29297
1004-1236-00-00	Spur Gear For CT	2942	3825
1004-1241-40	C.T. Motor Pinion	2044	2658
ELS-000-0ROL-JB	Normal Roller type Limit Switch	3638	4730
EPB-004-CB62-LC	Pendant Push Button Station, 4way, Plastic Enclosure, Model: Cob 62, Make: Local	2911	3784
ELS-050-0RTG-SO	Rotary Geared Limit Switch, Ratio-1:50,2 NC Contact	9702	12613
EBK-ACD-0150-GM	EMAC Disc Brake – DAT- 150	17325	22523
EBL-ACD-150X-GM	Brake Liner - DAT-150	6791	8829
EBC-ACD-190X-GM	Brake Coil - DAT -150	3015	3919

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

2T EHB			
Item Code	Details	NSP	RSP
2102-1011-00-00	Motor Pinion	2516	3270
2101-1012-00-00	I Stage Gear	6334	8234
2101-1013-00-00	II Stage Pinion	3714	4829
2101-1014-00-00	II Stage Gear	13264	17243
2101-1015-00-00	III Stage Pinion	4602	5982
2101-1016-00-00	Drum Gear	18572	24144
2102-1251-00-00	Rope Guide – 2F/4F (LH/RH)	7554	9820
2142-1451-00-00	Hook	9702	12613
1002-0121-30	Bottom Block Assembly	47355	61562
2142-1450-30	Bottom Block Assembly	49665	64565
2101-1501-CS-00	Geared Runner	13283	17267
2101-1502-CS-00	Ungeared Runner	9240	12012
2101-1501-CS	Geared Runner Assembly	29404	38225
2101-1502-CS	Ungeared Runner Assembly	26334	34234
1004-1220-00-00	CT Gear Box (Casing Only)	4955	6441
2T EHB	CT Gear Box Assembly	29106	37838
2101-1519-00-00	Integral Pinion (Z=16, m=1.5)	6584	8559
1004-1236-00-00	Spur Gear For CT	4043	5255
1004-1241-00-00	C.T. Motor Pinion	1580	2054
ELS-000-0ROL-JB	Normal Roller type Limit Switch	3696	4805
EPB-004-CB62-LC	Pendant Push Button Station, 4way, Plastic Enclosure, Model: Cob 62, Make: Local	2218	2883
ELS-100-0RTG-SO	Rotary Geared Limit Switch, Ratio-1:100,2 NC Contact	10949	14234
EBK-ACD-0190-GM	Acem Disc Type Brake,415VAC, Model: GAI 190, Make:GMAC.	19404	25225
EBL-ACD-190X-GM	Brake Liner, DAT 190	6750	8775
EBC-ACD-190X-GM	Brake Coil DAT190	5405	7027

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

3T EHB			
Item Code	Details	NSP	RSP
2103-1011-00-00	Motor Pinion	4089	5315
2103-1012-00-00	I Stage Gear	5544	7207
2101-1013-00-00	II Stage Pinion	3742	4865
2101-1014-00-00	II Stage Gear	13340	17342
2103-1015-00-00	III Stage Pinion	8247	10721
2103-1016-00-00	Drum Gear	29986	38982
2103-1201-00-00	Rope Guide – 2F/4F (LH/RH)	8482	11027
15560-2103-1401-00-00	Hook	17568	22838
2103-1450-30	Bottom Block Assembly	54747	71171
2103-1400-30	Bottom Block Assembly	54747	71171
2103-1501-CS-00	Geared Runner	30030	39039
2103-1502-CS-00	Ungeared Runner	26565	34535
2103-1501-CS	Geared Runner Assembly	33957	44144
2103-1502-CS	Ungeared Runner Assembly	21483	27928
1002-1213-00-00	CT Gear Box (Casing Only)	8940	11622
3T EHB	CT Gear Box Assembly	31878	41441
2103-1519-00-00	Integral Pinion- For CT	7935	10315
1002-1219-00-00	Spur Gear For CT	6237	8108
1002-1226-00-00	C.T. Motor Pinion	1573	2045
ELS-000-0ROL-JB	Normal Roller type Limit Switch	3326	4324
EPB-004-CB62-LC	Pendant Push Button Station,4way, Plastic Enclosure, Model: Cob 62, Make: Local	2155	2802
ELS-100-0RTG-SO	Rotary Geared Limit Switch, Ratio-1:100,2 NC Contact	11019	14324
ELS-002-0LVR-SO	Two-way lever type Limit Switch	8025	10432
EBK-ACD-190X-GM	ACEM Disc Brake – DAT- 190X	25641	33333
EBC-ACD-190X-GM	Brake Coil,415VAC, Suitable for Acem Disc Type Brake (GA1-190X)	5336	6937
EBL-ACD-190X-GM	Brake Liner, DAT 190X	6681	8685

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

5T EHB			
Item Code	Details	NSP	RSP
2105-1011-00-00	Motor Pinion	4581	5955
2105-1012-00-00	I Stage Gear	8593	11171
2105-1013-00-00	II Stage Pinion	5017	6523
2105-1014-00-00	II Stage Gear	18157	23604
2105-1015-00-00	III Stage Pinion	7346	9550
2105-1016-00-00	Drum Gear	56410	73333
2105-1251-00-00	Rope Guide – 2F/4F (LH/RH)	11088	14414
2105-1451-00-00	Hook	31670	41171
2105-1400-30	Bottom Block Assembly	77367	100576
2105-1450-30	Bottom Block Assembly	81081	105405
2105-1501-CS-00	Geared Runner	34650	45045
2105-1502-CS-00	Ungeared Runner	28875	37538
2105-1501-CS-AS	Geared Runner Assembly	47355	61562
2105-1502-CS-AS	Ungeared Runner Assembly	30434	39565
1002-1213-00-00	CT Gear Box (Casing Only)	9148	11892
2105-1516-30	CT Gear Box Assembly	25225	32793
2105-1520-00-00	Integral Pinion For CT	4643	6036
1002-1219-00-00	Spur Gear For CT	6168	8018
1002-1226-00-00	C.T. Motor Pinion	1552	2018
ELS-000-0ROL-JB	Normal Roller type Limit Switch	3326	4324
EPB-004-CB62-LC	Pendant Push Button Station, 4way, Plastic Enclosure, Model: Cob 62, Make: Local	2162	2811
ELS-100-0RTG-SO	Rotary Geared Limit Switch, Ratio-1:100, 2 NC Contact,	11019	14324
ELS-002-0LVR-SO	Two-way lever type Limit Switch	8039	10450
EBK-ACD-235X-GM	ACEM Disc Brake – DAT- 235X	35135	45676
EBC-ACD-235X-GM	Brake Coil, 415VAC, Suitable For Acem Disc Type Brake (GA1-235X)	8177	10631
EBL-ACD-235X-GM	Brake Liner, DAT 235X	9182	11937

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**

10T EHB			
Item Code	Details	NSP	RSP
2110-1016-40	Motor Pinion	8829	11477
2110-1017-40	I Stage Gear	11504	14955
2110-1018-40	II Stage Pinion	7623	9910
2110-1019-40	II Stage Gear	17498	22748
2110-1020-40	III Stage Pinion	10672	13874
2110-1021-40	III Stage Gear	34234	44504
2110-1022-40	IV Stage Pinion	16320	21216
2110-1023-40	Drum Gear	73597	95676
2110-1060-40	Full Geared Coupling - 101	15385	20000
2110-1251-40	Rope Guide (L.H.)/RH	11608	15090
2110-1451-40	Hook	58455	75991
2110-1450-30	Bottom Block Assembly	129591	168468
2110-1501-41	Geared Runner	40425	52553
2110-1502-41	Ungeared Runner	34650	45045
2110-1501-CS	Geared Runner Assembly	51975	67568
2110-1502-CS	Ungeared Runner Assembly	34650	45045
1005-1212-31	CT Gear Box (Casing Only)	8801	11441
---	CT Gear Box Assembly	40333	52432
2110-1525-42	Integral Pinion For CT	3396	4414
1005-1228-41	Spur Gear For CT	10118	13153
1005-1233-42	Motor Pinion For CT	2252	2928
ELS-000-0ROL-JB	Normal Roller type Limit Switch	3326	4324
EPB-004-CB62-LC	Pendant Push Button Station,4way, Plastic	2218	2883
ELS-100-0RTG-SO	Rotary Geared Limit Switch, Ratio-1:100,2 NC Contact	11019	14324
ELS-002-0LVR-SO	Two-way lever type Limit Switch	8039	10450
EBK-ACD-290X-GM	Acem Disc Type Brake,415VAC, Model: GAI-290X.	42412	55135
EBL-ACD-290X-GM	Brake Linear DAT290X.	9702	12613
EBC-ACD-290X-GM	Brake Coil- DAT 290X	18087	23513

**BRADY & MORRIS ENGINEERING CO. LTD.**  
**PRICE LIST PL 36B WITH EFFECT FROM 1<sup>st</sup> April 2025**



**Brady & Morris Engg. Co. Ltd.**

[www.bradymorris.in](http://www.bradymorris.in)